


Ultimate Guide to Prepare Free CheckPoint 156-585 Exam Questions & Answer [Q33-Q50]



Ultimate Guide to Prepare Free CheckPoint 156-585 Exam Questions and Answer
Pass CheckPoint 156-585 Tests Engine pdf - All Free Dumps

NEW QUESTION 33

John has renewed his NGTX License but he gets an error (contract for Anti-Bot expired). He wants to check the subscription status on the CU of the gateway, what command can he use for this?

- * cpstat antimalware -I subscription _status
- * fw monitor license status
- * fwm lie print
- * show license status

NEW QUESTION 34

Which daemon governs the Mobile Access VPN blade and works with VPND to create Mobile Access VPN connections? It also handles interactions between HTTPS and the Multi-Portal Daemon.

- * Connectra VPN Daemon – cvpnd

- * Mobile Access Daemon – MAD
- * mvpnd
- * SSL VPN Daemon – sslvpnd

NEW QUESTION 35

Which kernel process is used by Content Awareness to collect the data from contexts?

- * dlpda
- * PDP
- * cpemd
- * CMI

NEW QUESTION 36

What process monitors, terminates, and restarts critical Check Point processes as necessary?

- * CPWD
- * CPM
- * FWD
- * FWM

NEW QUESTION 37

Which of the following inputs is suitable for debugging HTTPS inspection issues?

- * vpn debug cpts on
- * fw ctl debug -m fw + conn drop cpts
- * fw diag debug tls enable
- * fw debug tls on TDERROR_ALL_ALL=5

NEW QUESTION 38

You are trying to establish a VPN tunnel between two Security Gateways but fail. What initial steps will you make to troubleshoot the issue

- * capture traffic on both tunnel members and collect debug of IKE and VPND daemon
- * capture traffic on both tunnel members and collect kernel debug for fw module with vm, crypt, conn and drop flags, then collect debug of IKE and VPND daemon
- * collect debug of IKE and VPND daemon and collect kernel debug for fw module with vm, crypt, conn and drop flags
- * capture traffic on both tunnel members and collect kernel debug for fw module with vm, crypt, conn and drop flags

NEW QUESTION 39

Which one of the following is NOT considered a Solr core partition:

- * CPM_0_Revisions
- * CPM_Global_A
- * CPM_Global_R
- * CPM_0_Disabled

NEW QUESTION 40

What is the main SecureXL database for tracking acceleration status of traffic?

- * cphwd_db

- * cphwd_tmp1
- * cphwd_dev_conn_table
- * cphwd_dev_identity_table

NEW QUESTION 41

What is the benefit of running `“vpn debug trunc over “vpn debug on”`;

- * `“vpn debug trunc”` purges ike.elg and vpnd elg and creates limestarpn while starting ike debug and vpn debug
- * `“vpn debug trunc”` truncates the capture hence the output contains minimal capture
- * `“vpn debug trunc”` provides verbose capture
- * No advantage one over the other

NEW QUESTION 42

In Security Management High Availability, if the primary and secondary managements, running the same version of R80.x, are in a state of `‘Collision’`, how can this be resolved?

- * Administrator should manually synchronize the servers using SmartConsole
- * The Collision state does not happen in R80.x as the synchronizing automatically on every publish action
- * Reset the SIC of the secondary management server
- * Run the command `‘fw send synch force’` on the primary server and `‘fw get sync quiet’` on the secondary server

NEW QUESTION 43

Check Point's PostgreSQL is partitioned into several relational database domains. Which domain contains network objects and security policies?

- * User Domain
- * System Domain
- * Global Domain
- * Log Domain

NEW QUESTION 44

Vanessa is reviewing ike.elg file to troubleshoot failed site-to-site VPN connection After sending Main Mode Packet 5 the response from the peer is PAYLOAD-MALFORMED; What is the reason for failed VPN connection?

- * The authentication on Phase 1 is causing the problem.

Pre-shared key on local gateway encrypted by the hash algorithm created in Packet 3 and Packet 4 doesn't match with the hash on the peer gateway generated by encrypting its pre-shared key

- * The authentication on Phase 2 is causing the problem

Pre-shared key on local gateway encrypted by the hash algorithm created in Packets 1 and 2 doesn't match with the hash on the peer gateway generated by encrypting its pre-shared key

- * The authentication on Quick Mode is causing the problem

Pre-shared key on local gateway encrypted by the hash algorithm created in Packets 3 and 4 doesn't match with the hash on the peer gateway generated by encrypting its pre-shared key

- * The authentication on Phase 1 is causing the problem

Pre-shared key on local gateway encrypted by the hash algorithm doesn't match with the hash on the peer gateway generated

by encrypting its pre-shared key created in Packet 1 and Packet 2

NEW QUESTION 45

PostgreSQL is a powerful, open source relational database management system Check Point offers a command for viewing the database to interact with Postgres interactive shell Which command do you need to enter the PostgreSQL interactive shell?

- * psql_client cpm postgres
- * mysql_client cpm postgres
- * psql_c!ieni postgres cpm
- * mysql -u root

NEW QUESTION 46

Check Point Threat Prevention policies can contain multiple policy layers and each layer consists of its own Rule Base Which Threat Prevention daemon is used for Anti-virus?

- * in.emaild.mta
- * in.msdl
- * ctasd
- * in emaild

NEW QUESTION 47

Which Threat Prevention Daemon is the core Threat Emulation engine and responsible for emulation files and communications with Threat Cloud?

- * ctasd
- * in.msdl
- * ted
- * scrub

NEW QUESTION 48

What is the main SecureXL database for tracking the acceleration status of traffic?

- * cphwd_db
- * cphwd_tmp1
- * cphwd_dev_conn_table
- * cphwd_dev_identity_table

NEW QUESTION 49

For TCP connections, when a packet arrives at the Firewall Kernel out of sequence or fragmented, which layer of IPS corrects this to allow for proper inspection?

- * Passive Streaming Library
- * Protections
- * Protocol Parsers
- * Context Management

NEW QUESTION 50

Jenna has to create a VPN tunnel to a CISCO ASA but has to set special property to renegotiate the Phase 2 tunnel after 10 MB of transferred data. This can not be configured in the smartconsole, so how can she modify this property?

- * using GUIDBEDIT located in same directory as Smartconsole on the Windows client
- * she need to install GUIDBEDIT which can be downloaded from the Usercenter
- * she need to run GUIDBEDIT from CLISH which opens a graphical window on the smartcenter
- * this cant be done anymore as GUIDBEDIT is not supported in R80 anymore

Online Exam Practice Tests with detailed explanations!:

<https://www.exams4sures.com/CheckPoint/156-585-practice-exam-dumps.html>