


Prepare H11-851_V3.0 Question Answers Free Update With 100% Exam Passing Guarantee [Q77-Q98]



Prepare H11-851_V3.0 Question Answers Free Update With 100% Exam Passing Guarantee [Q77-Q98]

Prepare H11-851_V3.0 Question Answers Free Update With 100% Exam Passing Guarantee [2022]
Dumps Real Huawei H11-851_V3.0 Exam Questions [Updated 2022]

NO.77 The following are the characteristics of large-capacity meetings()

- * The form of the meeting is mostly policy presentations and reports
- * Generally require multiple MCUs for cascading
- * High reliability requirements
- * Low interactivity requirements

NO.78 Regarding adding MCU to the SMC3.0 web interface, which of the following descriptions is correct?()

- * If you need to add the MCU to the SMC3.0, it is recommended to restore the factory configuration of the MCU before adding it.
- * When adding MCU to SMC3.0, you only need to fill in the docking account and password on SMC3.0, not on MCU.
- * The networking mode of the 98 series MCU is SMC2.0 by default and needs to be modified to SMC.
- * VP96 series MCU does not support adding to SMC3.0

NO.79 Users can download videos in MP4 file format online. When the video is accompanied by a presentation of meeting materials, users cannot download the video of the presentation.()

- * TRUE
- * FALSE

NO.80 ()The license supports floating management in SMC2.0.

- * VP9660
- * Recording
- * CloudMCU
- * terminal

NO.81 1080p video resolution is().

- * 1920*1080
- * 720*1080
- * 1000*1920
- * 1080*720

NO.82 ()Can provide media exchange, video encoding and decoding functions.

- * SMC
- * 98 series MCU
- * 96 series MCU
- * CloudMCU

NO.83 About CloudRSE multipoint recording feature, which of the following descriptions is wrong?()

- * During the recording of a multipoint conference, the conference administrator is supportedSPerform recording control on the WC3.0 platform. For example, pause recording, resume recording, and stop recording.
- * A SIP call is established between CloudRSE and MCU. MCU sends RTP stream to C1 oudRSE.

CloudRSE converts RIP stream into video that can be broadcast live and on-demand.

- * Once CloudRSE is called into a multi-party conference by the MCU, it will only record according to the MCU's video switching strategy. It is not possible to specify any site or multi-screen in the conference to record on the SMC3.0.
- * CloudRSE supports single-stream and multi-stream recording under multipoint video conference networking.

Explanation

Multiple choice questions

NO.84 The TE terminal holds a 1080p30fps conference, at least()bandwidth.

- * 2Mbps
- * 512Kbps
- * 1.51Mbps
- * 1Mbps

NO.85 The VP96 series MCU fully adapted port can perform related conversions between the fully adapted ports of different resolutions. Port conversion relationship SD: 720p30fps: 1080P30fps: 1080p60fps is equal to().

- * 8:4:2.5:1
- * 4:2:2:1
- * 4:3:2:1
- * 8:4:2:1

NO.86 The multi-screen layout of the multi-stream forwarding conference includes()

- * Zone equalization mode
- * A large number of small patterns

- * Picture-in-picture mode
- * Picture outside picture mode

NO.87 Terminals in the same subnet. IdeaHubi can directly use IP for point-to-point calls.()

- * TRUE
- * FALSE

NO.88 About Multipoint Conference, Which of the following descriptions is correct?()

- * After a point-to-point call is established, you can call other terminals point by point to establish a multipoint conference.
- * When the terminal convenes a multipoint conference, it is necessary to use the MCU as a conference convening resource.
- * Multipoint conferences support H323 and SIP mixed conferences.
- * A multipoint conference refers to a conference convened by three or more than three venues.

NO.89 Log in as a meeting administratorSMC3.0 Management background, you can add MCU operation.()

- * True
- * False

NO.90 SIP is an application layer protocol, independent of the transport layer protocol below, and can be carried on different transport protocols such as UDP/TCP/TLS. At present, TCP is the most commonly used.()

- * True
- * False

NO.91 CloudRSE supports on-demand and watch live streaming through the Web. MP4 files generated by the recording meeting can be on-demand through the 0 protocol, and the ongoing live meeting can be through the () live broadcast protocol

- * HIIPS; HLS
- * RTP; HLS
- * HLS; HITPS
- * HIIPS: RTP

NO.92 Common user permissions of CloudRSE include()

- * Video viewing and downloading
- * User Management
- * Video management
- * Recording management

NO.93 The TE terminal holds a 1080p30fps conference, at least()bandwidth.

- * 1Mbps
- * 1.5Mbps
- * 2Mbps
- * 512Kbps

NO.94 Intelligent collaboration stage,What are the features of the video conference system?

- * The electronic nameplate of the participant can be displayed on the terminal.
- * Participants can control the terminal by voice.
- * The terminal supports whiteboard collaboration and smart writing.
- * The terminal supports intelligent broadcast, through sound source detection and sound source positioning, it provides more accurate and flexible tracking and positioning.

NO.95 The following description of the Adhoc meeting is wrong()

- * When scheduling an Adhoc conference, you need to set the chairperson password and conference activation password separately.

- * Adhoc conference is a kind of conference method that activates the conference and joins the conference through the terminal side.
- * Before using an Adhoc meeting, you need to create an Adhoc meeting template.
- * Adhoc conferences do not occupy DMCU resources when they are not activated.

NO.96 Failed to open IdeaHub web page using browser, possible reasons are as follows().

- * IdeaHub's web login function is finally turned on
- * Enter IdeaHub's IP address incorrectly
- * The network between the computer and IdeaHub is disconnected
- * IdeaHub device is damaged

NO.97 In the video conference, use the camera()Features can take a close-up of a certain participant.

- * Wide dynamic
- * Lens zoom
- * Wide angle
- * Sound image localization

NO.98 twenty one. IdeaHub's control method does not include()

- * touch screen
- * Touch
- * Web page
- * remote control

H11-851_V3.0 Exam Dumps, H11-851_V3.0 Practice Test Questions:

https://www.exams4sures.com/Huawei/H11-851_V3.0-practice-exam-dumps.html