


## Latest [Oct 06, 2022 100% Passing Guarantee - Brilliant CAU201 Exam Questions PDF [Q102-Q117]



## Latest [Oct 06, 2022] 100% Passing Guarantee - Brilliant CAU201 Exam Questions PDF [Q102-Q117]

Latest [Oct 06, 2022] 100% Passing Guarantee - Brilliant CAU201 Exam Questions PDF  
CAU201 Certification & Valid Exam Dumps Questions Study Guide! (Updated 179 Questions)

### NEW QUESTION 102

Which of the following PTA detections require the deployment of a Network Sensor or installing the PTA Agent on the domain controller?

- \* Suspected credential theft
- \* Over-Pass-The-Hash
- \* Golden Ticket
- \* Unmanaged privileged access

### NEW QUESTION 103

Which Cyber Are components or products can be used to discover Windows Services or Scheduled Tasks that use privileged accounts? Select all that apply.

- \* Discovery and Audit (DMA)

- \* Auto Detection (AD)
- \* Export Vault Data (EVD)
- \* On Demand Privileges Manager (OPM)
- \* Accounts Discovery

#### NEW QUESTION 104

It is possible to restrict the time of day, or day of week that a [b]verify[/b] process can occur

- \* TRUE
- \* FALS

#### NEW QUESTION 105

It is possible to restrict the time of day, or day of week that a [b]reconcile[/b] process can occur

- \* TRUE
- \* FALS

#### NEW QUESTION 106

If a user is a member of more than one group that has authorizations on a safe, by default that user is

granted\_\_\_\_\_.

- \* the vault will not allow this situation to occur.
- \* only those permissions that exist on the group added to the safe first.
- \* only those permissions that exist in all groups to which the user belongs.
- \* the cumulative permissions of all the groups to which that user belongs.

#### NEW QUESTION 107

It is possible to leverage DNA to provide discovery functions that are not available with auto-detection.

- \* TRUE
- \* FALSE

#### NEW QUESTION 108

The Password upload utility can be used to create safes.

- \* TRUE
- \* FALSE

Explanation/Reference:

#### NEW QUESTION 109

What is the purpose of the Immediate Interval setting in a CPM policy?

- \* To control how often the CPM looks for System Initiated CPM work.
- \* To control how often the CPM looks for User Initiated CPM work.
- \* To control how often the CPM rests between password changes.
- \* To Control the maximum amount of time the CPM will wait for a password change to complete.

When the Master Policy enforces check-in/check-out exclusive access, passwords are changed when the user clicks the Release button and releases the account. This is based on the ImmediateInterval parameter in the applied platform. If the user forgets to release the account, it is automatically released and changed by the CPM after a predetermined number of minutes, defined in the

MinValidityPeriod parameter specified in the platform

### NEW QUESTION 110

Match each component to its respective Log File location.

PTA System	Drag answer here	C:\Program Files (x86)\PrivateArk\Server\PADR
PSM for SSH (PSMP)	Drag answer here	/opt/tomcat/logs
Disaster Recovery	Drag answer here	/var/opt/CARKpsmp/logs/

PTA System	PSM for SSH (PSMP)	C:\Program Files (x86)\PrivateArk\Server\PADR
PSM for SSH (PSMP)	PTA System	/opt/tomcat/logs
Disaster Recovery	Disaster Recovery	/var/opt/CARKpsmp/logs/

Reference:

<https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.4/en/Content/PTA/PTA-Data-Locations.htm>

### NEW QUESTION 111

What is the purpose of the Interval setting in a CPM policy?

- \* To control how often the CPM looks for System Initiated CPM work.
- \* To control how often the CPM looks for User Initiated CPM work.
- \* To control how long the CPM rests between password changes.
- \* To control the maximum amount of time the CPM will wait for a password change to complete.

### NEW QUESTION 112

Which of these accounts onboarding methods is considered proactive?

- \* Accounts Discovery
- \* Detecting accounts with PTA
- \* A Rest API integration with account provisioning software
- \* A DNA scan

### NEW QUESTION 113

To enable the Automatic response &#8220;Add to Pending&#8221; within PTA when unmanaged credentials are found, what are the minimum permissions required by PTAUser for the PasswordManager\_pending safe?

- \* List Accounts, View Safe members, Add accounts (includes update properties), Update Account content, Update Account

properties

- \* List Accounts, Add accounts (includes update properties), Delete Accounts, Manage Safe
- \* Add accounts (includes update properties), Update Account content, Update Account properties, View Audit
- \* View Accounts, Update Account content, Update Account properties, Access Safe without confirmation, Manage Safe, View Audit

#### NEW QUESTION 114

When managing SSH keys, the CPM stores the Public Key

- \* In the Vault
- \* On the target server
- \* A & B
- \* Nowhere because the public key can always be generated from the private key.

Explanation/Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/SSHKM/Managing%20SSH%20Keys.htm>

#### NEW QUESTION 115

The Password upload utility can be used to create safes.

- \* TRUE
- \* FALSE

#### NEW QUESTION 116

Customers who have the 'Access Safe without confirmation'; safe permission on a safe where accounts are configured for Dual control, still need to request approval to use the account.

- \* TRUE
- \* FALSE

#### NEW QUESTION 117

In a default CyberArk installation, which group must a user be a member of to view the 'reports' page in PVWA?

- \* PVWAMonitor
- \* ReportUsers
- \* PVWAReports
- \* Operators

**CAU201 are Available for Instant Access:** <https://www.exams4sures.com/CyberArk/CAU201-practice-exam-dumps.html>