


## [Q49-Q67] Get Prepared for Your H13-723\_V2.0 Exam With Actual Huawei Study Guide!



### Get Prepared for Your H13-723\_V2.0 Exam With Actual Huawei Study Guide! Pass Your Next H13-723\_V2.0 Certification Exam Easily & Hassle Free NEW QUESTION 49

existSpark, assuminglinesIs anDStreamobject,filterStatements can be filtered out80%data for the following two The correct statement is:

X: lines.filter(&#8230;).groupByKey(&#8230;)

Y: lines.groupByKey(&#8230;).filter(&#8230;)

- \* XCompareYhigher performance
- \* XCompareYlower performance
- \* XandYsame as performance
- \* UncertaintyXandYdifference in performance

### NEW QUESTION 50

HDFSThe system time of the node where the client is located is the same as theFusionInsight HDThe system time of the cluster should be consistent, if there is time difference, then the time difference should be less than a few minutes?

- \* 5
- \* 10
- \* 20
- \* 30

### NEW QUESTION 51

FusionInsight HDmiddle,HiveWhich of the following parameters of the client is used to controlreduceConcurrency? (multiple choice)

- \* hive.exec.reducers.bytes.per.reducer
- \* hive.exec-ducers.max

- \* hive.exec.max.dynamic.partitions
- \* hive.exec.max.dynamic.partitions.pernode

### NEW QUESTION 52

existFusionInsight HDproduct,KafkaWhat is the role name of the service?

- \* Producer
- \* Broker
- \* Consumer
- \* ZooKeeper

### NEW QUESTION 53

passing throughFusionInsight ManagerWhen the interface creates a user, you want the user to have access to allTopic have Read and write permissions, but not createTopic permissions should be addedkafkaWhich group of services?

- \* KafkaadminGroup
- \* KakfaGroup
- \* kafkasuperuserGroup

### NEW QUESTION 54

existSolrWhen indexing, which of the following code snippets can significantly improve indexing performance? (multiple choice)

- \* `IbClient.setRequestWriter(new BinaryRequestWriter())`
- \* `if(updateRequest.getDocumentsMap().size() >= 10000)cloudSolClient.request(updateRequest, collName);updateRequest.clear();`
- \* `if(updateRequest.getDocuments().size() >= 1000){`

```
cloudSolrClient.request(updateRequest, collName);updateRequest.clear();}
* SolrInputDocument doc = new SolrInputDocument();doc.addField("#8220;id#8221;,i.toString
());doc.addField("#8220;name#8221;, "#8220;Zhang San#8221;+
i);doc.addField("#8220;features#8221;, "#8221;test#8221;+ i);doc.addField("#8220;price#8221;,
(float)i*1.01);cloudSolrClient.add(doc);cloudSolrClient.commit();
```

### NEW QUESTION 55

When the cluster is normal,RedisClient initiates oncegetCall, the client has () times of message interaction with the server?

- \* 1
- \* 2
- \* 3
- \* 4

### NEW QUESTION 56

Spark SQLIn the table, there are often many small files (the size is much smaller thanHDFSblock size), in this case,Sparkwill enable aTaskto process these small files, whenSQLexist in operationShuffleWhen operating, will greatly increasehashThe number of dynamic buckets will seriously affect the performance.

- \* True
- \* False

### NEW QUESTION 57

FusionInsight HD Which of the following belong to Oozie of MapReduce Action configuration item? (multiple choice)

- \* name-node
- \* source (HDFS of Action)
- \* mapred.mapper.class
- \* job-tracker

### NEW QUESTION 58

Oozie of workflow.xml file is the workflow configuration file

- \* True
- \* False

### NEW QUESTION 59

about Streaming the topology (Topology), which of the following descriptions is wrong?

- \* One Topology is made up of a group of Spout components and Bot components pass Stream Groupings A connected directed acyclic graph (DAG)
- \* Topology will run until it is explicitly kill
- \* Business logic is encapsulated in Topology middle
- \* One Topology Only one can be specified to start Worker process

### NEW QUESTION 60

FusionInsight HD middle, Oozie client's Java API will be called when the task is run OozieClient Which method of the class?

- \* suspend
- \* getJobInfo
- \* submit
- \* Run

### NEW QUESTION 61

Which of the following causes HDFS of NameNode to enter a safe mode (install & root form)? (multiple choice)

- \* Active and standby NameNode The disk space where the metadata is located is insufficient.
- \* The number of missing blocks exceeds the read value.
- \* Lost copies exceed read value.
- \* The corrupted copy exceeds the threshold.

### NEW QUESTION 62

exist FusionInsight HD product Solr During application development, you can Solr Admin UI right Collection Do some verification.

Below about Solr Admin UIs the statement correct? (multiple choice)

- \* click Cloud down Tree, Check Solr Cloud middle Collections, a configuration set, and live\_nodes and other metadata information
- \* click Cloud, see each Collection under each Shard Replica distribution and status
- \* enter a Collection of Shard Replica of Core Overview interface, you can view the Replica Index the actual document Number of bars, storage size and location information
- \* Solr user group, Solr admin role and Super group of users have access to Solr Admin UI

### NEW QUESTION 63

aboutFusionInsight HDplatformHiveservice, itsWebHCatDevelopment interface, which of the following descriptions is incorrect?

- \* Support based onRESTquery request
- \* WebHCatThe return data format isSML
- \* WebHCatbased onHTTPandHTTPSAgreement to provide services to the outside world
- \* able to passWebHCatCreate tables, query, etc.

#### NEW QUESTION 64

Fusioninsight HDsystematicv100R002C60version,HiveOnly supports based onMapReduceengine query service, does not support based onSparkEngine query service

- \* True
- \* False

#### NEW QUESTION 65

aboutStreamingdisaster recovery capability, which of the following statements is correct? (multiple choice)

- \* SupervisorAfter the process exits, it can beNimbusAutomatically identify and pull up without affecting running business.
- \* WorkerCan be used after abnormal exitSupervisorPulls up automatically without manual intervention.
- \* When a node fails, the tasks on the node will be reassigned to other normal nodes without manual intervention.
- \* NimbusAfter the failure, the backupNimbusIt will take over automatically without affecting the running business.

#### NEW QUESTION 66

In useSolrWhen performing a full-text search, you canwtThe parameter specifies the response format of the query result. close AtSolrThe response format of the query result, which of the following statements is wrong?

- \* supportCSVandJSON
- \* supportCSV,JSONandHTML
- \* supportCSV,JSONandXML

#### NEW QUESTION 67

Which of the following scenarios is notflinkWhat does the component excel at()?

(multiple choice)

- \* Batch Iterative
- \* Computing Stream
- \* Processing
- \* Data Storage

**Ace H13-723\_V2.0 Certification with 370 Actual Questions:**

[https://www.exams4sures.com/Huawei/H13-723\\_V2.0-practice-exam-dumps.html](https://www.exams4sures.com/Huawei/H13-723_V2.0-practice-exam-dumps.html)