


## Regular Free Updates C-C4H620-24 Dumps Real Exam Questions Test Engine Feb 20, 2023 [Q33-Q49]



### Regular Free Updates C-C4H620-24 Dumps Real Exam Questions Test Engine Feb 20, 2023 Practice Test Questions Verified Answers As Experienced in the Actual Test! NEW QUESTION 33

You created a new Data Store type called behavior. You are running the following query: `SELECT behavior.data FROM ds WHERE UID = '12345'`; The search is returning NO results even though UID 12345 exists in the SSO group. What is your analysis?

- \* The command is incorrect and should be `SELECT behavior.* FROM ds WHERE UID = '12345'`;
- \* The command is incorrect and should be `SELECT* FROM behavior WHERE UID = '12345'`;
- \* The command is incorrect and should be `SELECT* FROM ds WHERE UID = '12345'`;
- \* The command is correct and this user has NO data.

### NEW QUESTION 34

You've defined a new user welcome e-mail template but users are NOT receiving e-mails. How can you ensure new users will receive an automatic e-mail after the account becomes fully registered?

- \* Enable New User Welcome in your schema setting.
- \* Set up an SMTP server.

- \* Enable New User Welcome in your RaaS policies.
- \* Enable New User Welcome in your site settings.

### NEW QUESTION 35

You are generating a JSON Web Token (JWT) from the client side by calling the following:

`gigya.accounts.getJWT({email,firstName,lastName});` However, the e-mail, firstName, and lastName of the user are NOT returned in the JWT. How can you re-write the API call to get the required claims?

- \* `gigya.accounts.getJWT({email,firstName,lastName});`
- \* `gigya.accounts.getJWT({fields:email,firstName,lastName});`
- \* `gigya.accounts.getJWT({fields:profile.email,profile.firstName,profile.lastName});`
- \* `gigya.accounts.getJWT({profile.email,profile.firstName,profile.lastName});`

### NEW QUESTION 36

A customer has three Web sites. The customer wants a unified user database across their Web sites. For security reasons, they do NOT want seamless login when users move between any of the sites. How would this be configured in the Console?

- \* One site group with SSO disabled and one segment
- \* One site group with SSO enabled and two segments
- \* One site group with SSO enabled and one segment
- \* Two site groups with SSO disabled and one segment

### NEW QUESTION 37

In an OIDC implementation, what endpoint manages consents for returned claims?

- \* The client-side Authorize endpoint
- \* The server-side Partner endpoint
- \* The server-side Authorize endpoint
- \* The client-side Partner endpoint

### NEW QUESTION 38

What is the purpose of the Audit Log?

- \* To view all actions performed by administrators
- \* To view all actions performed by end users on their account
- \* To view end user consent records only
- \* To view a subset of actions performed by administrators and end users

### NEW QUESTION 39

What system data is recorded for every user inside the accounts database? Note: There are 2 correct answer to this question

- \* Time stamps
- \* Number of logins
- \* Login provider
- \* SDK version

### NEW QUESTION 40

You want to create a new optional data sharing consent. What type of consent should you create?

- \* Other consent statement

- \* Subscription consent statement
- \* Terms of Service consent statement
- \* Privacy Policy consent statement

#### **NEW QUESTION 41**

Which of the following scenarios would trigger a registration completion screen in a registration flow? Note: There are 2 correct answer to this question

- \* A user is registering via a social network that does NOT provide a value for a mandatory field.
- \* A user is logging in via a social network with an e-mail that is already associated with an existing site account.
- \* A user is missing a valid consent to a required consent statement.
- \* E-mail verification is enabled in the RaaS policies and automatic login is disabled.

#### **NEW QUESTION 42**

Which password attributes can be defined in the RaaS policies? Note: There are 2 correct answer to this question

- \* A blacklist of passwords that are NOT considered valid
- \* An option to ensure a password does NOT contain any personal attributes
- \* A regular expression that passwords must match to be considered valid
- \* The minimum number of characters for a valid password

#### **NEW QUESTION 43**

What are you able to configure inside your RaaS site settings on the Console? Note: There are 2 correct answer to this question

- \* The domain alias or CNAME
- \* The SMTP address of your e-mail server
- \* The e-mail address of the site administrator
- \* The list of trusted site URLs

#### **NEW QUESTION 44**

Which of the following screens are part of the default Profile Update Screen-Set? Note: There are 3 correct answer to this question

- \* Privacy
- \* Mandatory Password Change
- \* Communication
- \* Change Password
- \* Link Accounts

#### **NEW QUESTION 45**

Which events can be configured in the Console for webhooks? Note: There are 3 correct answer to this question

- \* Account deleted
- \* Account registered
- \* Account verified
- \* Subscription updated
- \* Account logged out

#### **NEW QUESTION 46**

You are implementing a mobile app and want to expire user sessions after 1800 seconds. How can you achieve this? Note: There are

2 correct answer to this question

- \* By passing a value of 1800 for the sessionExpiration parameter when calling accounts.login
- \* By having a value of 1800 for the sessionExpiration parameter in global configuration
- \* By passing a value of 1800 for the sessionTimeout parameter in WebSDK configuration
- \* By having a value of 1800 for the sessionExpiration parameter in cookie settings

#### NEW QUESTION 47

How can you get the public certificate that is required to validate a JSON Web Token (JWT)?

- \* By calling endpoint accounts.getJWTPublicCertificate
- \* By installing the certificate file on the server and retrieving it locally
- \* By calling endpoint accounts.getJWTPublicKey
- \* By requesting the certificate from the provider by e-mail

#### NEW QUESTION 48

You are creating a new IdentitySync dataflow with three components: `datasource.read.gigya.account`; Component ID: account/ Component type: `datasource.read.gigya.account`; Component ID: sftp / Component type: `datasource.write.sftp`; Component ID: json / Component type: `file.format.json`. When you click the Save button, you get the error message shown in the screenshot below:

- \* Image
- \* What can you change to make the dataflow execute successfully?
- \* Remove the component json by changing the description to: `account> sftp`.
- \* Change the description to: `account > json > sftp`.
- \* Re-order the components as follows: `account> json > sftp`.

#### NEW QUESTION 49

Your customer's security team wants to improve login security on their Web site. What risk factors can be configured through the Risk-Based Authentication UI? Note: There are 3 correct answer to this question

- \* Login from a new country
- \* Unsuccessful logins on a specific date
- \* Login from a new device
- \* Login during a specific timeframe
- \* Unsuccessful logins from a specific account

**Pass SAP C-C4H620-24 Exam in First Attempt Easily:**

<https://www.exams4sures.com/SAP/C-C4H620-24-practice-exam-dumps.html>