[Nov 29, 2023 Latest Oracle Cloud 1z0-1114-23 Actual Free Exam Questions [Q13-Q31

[Nov 29, 2023] Latest Oracle Cloud 1z0-1114-23 Actual Free Exam Questions
Oracle Cloud 1z0-1114-23 Dumps Updated Practice Test and 32 unique questions

Oracle 1z0-1114-23 Exam Syllabus Topics:

TopicDetailsTopic 1- Create an application using components and page designer- Use the components page to explore and choose the right componentTopic 2- Step through a pattern and explore Redwood Pattern Book- Identify Redwood patterns, templates, and components for product designTopic 3- Validate the design and use of existing patterns, templates, and components- Use telemetry to improve and refine the developed productTopic 4- Explain the three types of supported extensions- Create new Redwood apps to mashup SaaS and external dataTopic 5- Create new Redwood page- app for SaaS data- Translate common scenarios into core flows and user journeysTopic 6- Modify existing pages in Oracle SaaS using Visual Builder- Translate core flows using patterns into a Redwood experienceTopic 7- Explain the building blocks of the design system- Use git, branches, and merge requests to manage code in Visual Builder StudioTopic 8- Configure service connections in Visual Builder- Develop Applications Using the Redwood Development Process

NEW QUESTION 13

By design, dialog messages interrupt the user and force them to make a decision.

Which three dialog message components are available in Redwood? (Choose three.)
* oj-sp-message-dialog-destructive
* oj-sp-messages-banner
* oj-sp-message-dialog-general
* oj-sp-smart-search-page
* oj-sp-message-unsaved-changes
* oj-sp-message-banner-unsaved-changes

This question tests your knowledge of the dialog message components that are available in Redwood, which are used to interrupt the user and force them to make a decision. The correct answer is A, C, and E, because these are the three dialog message components that are available in Redwood. The other options are incorrect, because they are not dialog message components, but banner message components or page templates that can be used in different contexts. Here is a brief description of each dialog message component:

oj-sp-message-dialog-destructive: This component is used to display a dialog message that warns the user about an irreversible action that will delete or destroy data. It has a red header with an icon and a title, a body with a message and an optional description, and two buttons for canceling or confirming the action.

oj-sp-message-dialog-general: This component is used to display a dialog message that informs the user about an action that requires their confirmation or input. It has a blue header with an icon and a title, a body with a message and an optional description or input field, and one or more buttons for canceling or completing the action.

oj-sp-message-unsaved-changes: This component is used to display a dialog message that alerts the user about unsaved changes that will be lost if they navigate away from the current page. It has a yellow header with an icon and a title, a body with a message and an optional description, and two buttons for discarding or saving the changes.

NEW QUESTION 14

You created a page based on the Foldout layout template.

How do you ensure that your customer can access it from a mobile phone?
* Develop a separate application for mobile devices with a different layout.
* Add JavaScript to add responsive design to your page.
* Do nothing. Responsive behavior will render the page properly on the device.
* Switch to a new template that will fit into a mobile device size.

The easiest way to ensure that your customer can access your page from a mobile phone is to do nothing. Responsive behavior will render the page properly on the device. This is because Redwood design system is built with responsiveness in mind, meaning that it adapts to different screen sizes and orientations automatically. The Foldout layout template, for example, will collapse the foldout panel on smaller devices and show it as a modal dialog when triggered.

NEW QUESTION 15

You are looking to create a Foldout layout in a page emulating the one in Oracle Fusion Cloud Apps.

How will you do it?
* Use JavaScript code to animate the various panels on your page.
* Use a welcome template and add the foldout template inside it.
* Use the horizontal Foldout page template pattern.

The easiest way to create a Foldout layout in a page emulating the one in Oracle Fusion Cloud Apps is to use the horizontal Foldout

page template pattern. This is a predefined pattern that provides a horizontal fold animation for pages with multiple panels of data. You can drag and drop this pattern from the Components palette in Visual Builder Studio and configure it according to your needs.

NEW QUESTION 16

Which is the correct sequence of steps in the Design process?
* Articulate the vision, understand the problem, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world
* Understand the statement, articulate the problem, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world
* Articulate the vision, identify the Redwood Page templates, understand the problem, add the detail and refine the design, specify the design for development, and monitor engagement in the real world
* Understand the problem, articulate the vision, identify the Redwood Page templates to use. add the detail and refine the design, specify the design for development, and monitor engagement in the real world
The correct sequence of steps in the Design process is:

Understand the problem

Articulate the vision

Identify the Redwood Page templates to use

Add the detail and refine the design

Specify the design for development

Monitor engagement in the real world

This is the recommended process for designing with Redwood, as it helps you to create user interfaces that are aligned with your vision, goals, and requirements. It also helps you to leverage the Redwood design system, templates, patterns, and components to ensure consistency, usability, and accessibility.

NEW QUESTION 17

What does a build pipeline in Visual Builder Studio do?
* Can only deploy an AgpUI extension to a stand-alone VB instance
* Can deploy an AppUl extension to only a single FA instance
* Can only package an AgpUI extension, which requires manual deployment
* Can deploy an AppUl extension to multiple FA instances
A build pipeline in Visual Builder Studio can deploy an AppUI extension to multiple FA instances by using the Deploy to FA Instance step. This step allows you to specify the target FA instance, the extension type, and the extension name. You can also use the Deploy to VB Instance step to deploy an AppUI extension to a stand-alone VB instance. Therefore, option D is the correct answer. Reference: [Deploying AppUI Extensions], [Deploying Extensions to Fusion Applications]

NEW QUESTION 18

What is the minimum and maximum number of steps that can be configured on a Guided process?
* Minimum 2 and maximum 25
* Minimum 1 and maximum 10
* Minimum 1 and maximum 50

* Minimum 4 and maximum 10
A Guided process is a component that guides users through a series of steps to complete a task or a workflow. A Guided process can have a minimum of one step and a maximum of 10 steps. Each step can have a label, an icon, an optional description, and an optional action. A Guided process can also have optional buttons for navigation or completion. Therefore, option B is the correct answer. Reference: [Guided Process Component], [oj-sp-guided-process]

NEW QUESTION 19

What is the minimum and maximum number of steps that can be configured on a Guided process?
* Minimum 1 and maximum 50
* Minimum 1 and maximum 10
* Minimum 4 and maximum 10
* Minimum 2 and maximum 25
A Guided process is a component that guides users through a series of steps to complete a task or a workflow. A Guided process can have a minimum of one step and a maximum of 10 steps. Each step can have a label, an icon, an optional description, and an optional action. A Guided process can also have optional buttons for navigation or completion. Therefore, option B is the correct answer. Reference: [Guided Process Component], [oj-sp-guided-process]

NEW QUESTION 20

You receive a request to create a new page for Fusion users to enable them to see data about orders stored in Fusion Cloud Apps.

How will you fulfill this request?
* This is not possible, without SQL access to the Fusion database.
* Spin up an instance of WebLogic and deploy a Visual Builder app on top of it.
* Spin up a new instance of Visual Builder and deploy a stand-alone app.
* This can be achieved with VB Studio in Fusion Apps.
The best option to fulfill this request is to use VB Studio in Fusion Apps. This is a feature of Visual Builder Studio that allows you to create AppUI extensions for Fusion Apps pages. You can use the same development platform that Oracle Cloud Applications are built on, leveraging the Redwood design system, templates, patterns, and components. You can also access data from Fusion Apps using the service catalog and deploy your extensions directly to your Fusion Apps instance.

NEW QUESTION 21

The Redwood template your page is based on has a primary action button.

How do you control what it does?
* Create an action chain mapped to the template’s primary action event, at the template level.
* You cannot. The functionality is determined by the original template.
* Remove the existing button from the template and add your own.
* Create an onAction action chain on that button.
The primary action button is a UI component that represents the main action that the user can perform on a page. It is usually located at the top right corner of the page and has a prominent color and style. The primary action button is defined by the Redwood template that your page is based on, and its functionality is determined by an action chain mapped to the template’s primary action event at the template level. You can create or modify this action chain to control what the primary action button does on your page .

NEW QUESTION 22

What is the function of the Publish button in the Visual Builder Studio workspace editor?

* To deploy a test version of your AgpUI extension
* To push changes to Git, and also start a merge request
* To deploy the sandbox that your AgpUI extension is associated with
* To start the CI/CD package and deploy pipeline for the current extension

The Publish button in the Visual Builder Studio workspace editor allows you to push your changes to the Git repository and also start a merge request. A merge request is a way of proposing changes from one branch to another branch in Git. It helps you to review and collaborate on your code before merging it into the main branch .

NEW QUESTION 23

Which three are exposed in Visual Builder Studio? (Choose three.)
* Fusion Cloud Apps database tables
* Fusion Cloud Apps action chains developed by Oracle
* Redwood templates and patterns
* Fusion Cloud Apps REST endpoints
* Redwood Ul components

Visual Builder Studio is a cloud-based development platform that allows you to create and extend applications using Redwood UI components, templates, and patterns. It also exposes Fusion Cloud Apps REST endpoints that enable you to access and manipulate data from Fusion Cloud Apps services. Additionally, it provides a code editor, a visual editor, a Git repository, and a CI/CD pipeline for your development projects .

NEW QUESTION 24

Which page template is NOT a transactional page template?
* Gantt page template
* Foldout layout page template
* Guided process page template
* Advanced create and edit page template

A transactional page template is a type of page template that supports creating, updating, or deleting data in Fusion Cloud Apps. It usually consists of a form or a table with input fields, buttons, and validations. Some examples of transactional page templates are Gantt page template, Guided process page template, and Advanced create and edit page template. A foldout layout page template is not a transactional page template because it does not support data manipulation. It is a type of page template that displays information in a collapsible panel on the side of the page.

NEW QUESTION 25

Jim has been working on some changes in a workspace but the project manager wants Tammy to continue the work Jim did.

How can they achieve this?
* Jim can change ownership of the existing workspace.
* Jim needs to first commit and push his changes to the central Git branch for Tammy to create a new workspace.
* Tammy can create a new workspace based on Jim’s workspace.

The best way to achieve this is to have Tammy create a new workspace based on Jim’s workspace. A workspace is a private copy of the code that you can work on without affecting other developers. You can create a new workspace from an existing one by selecting the option “Create Workspace From” in Visual Builder Studio. This will copy all the changes from the source workspace to the new one, allowing Tammy to continue the work Jim did.

Verified 1z0-1114-23 dumps Q&As - 100% Pass from Exams4sures:

https://www.exams4sures.com/Oracle/1z0-1114-23-practice-exam-dumps.html]