


Free SAP (C_HCMOD_05) Certification Sample Questions with Online Practice Test [Q23-Q38]



Free SAP (C_HCMOD_05) Certification Sample Questions with Online Practice Test C_HCMOD_05 Certification Study Guide Pass C_HCMOD_05 Fast QUESTION 23

Which type of join supports a temporal condition in a calculation view?

- * Referential join
- * Inner join
- * Text join
- * Left outer join

QUESTION 24

Which project structure object corresponds to a unique HDI container?

- * project
- * space
- * src folder
- * database module

QUESTION 25

What is the recommended tool for developing cloud foundry applications?

- * SAP Business Application Studio
- * SAP HANA Cloud Central
- * SAP HANA Web IDE
- * SAP HANA cockpit

QUESTION 26

What can you identify using Performance Analysis mode? Note: There are 2 correct answers to this question.

- * Usage statistics of the calculation view
- * Joins that are defined on calculated columns
- * Information about join cardinality
- * Expected memory consumption

QUESTION 27

You want to create a star schema using a calculation view. The measures are based on columns from two transaction tables.

DIMENSION calculation views provide the attributes. What is the correct approach?

- * Combine the transaction tables using a star join node in a calculation view of type CUBE with star join. Use a join node to join the DIMENSIONS to the fact table.
- * Combine the transaction tables using an aggregation node in a calculation view of type CUBE with star join. Use a star join node to join the DIMENSIONS to the fact table.
- * Combine the transaction tables using a join node in a calculation view of type CUBE with star join. Use a star join node to join the DIMENSIONS to the fact table.
- * Combine the transaction tables using a star join node in a calculation view of type CUBE with star join. Use the same star join node to connect the DIMENSIONS to the fact table.

QUESTION 28

You create a user-provided service to access tables in external schemas. In which file type do you assign the user-provided service to your database module?

- * .hdiconfig
- * .mtar
- * .yaml
- * .namespace

QUESTION 29

In your calculation view, you want to consume a custom data source defined using SQLScript. In which type of object do you write your code?

- * Scalar function
- * Table function
- * Anonymous block
- * Procedure

QUESTION 30

In a calculation view, why would you implement an SQL expression? Note: There are 3 correct answers to this question.

- * To generate hierarchies
- * To define a filter
- * To convert currencies
- * To generate a restricted column
- * To generate a calculated column

QUESTION 31

What are some of the restrictions that apply when defining parallelization blocks in calculation views? Note:

There are 2 correct answers to this question.

- * Multiple blocks can only be defined within a single calculation view.
- * Only one block can be defined across a stack of calculation views.
- * The block must only have one start node.
- * The block must start with a node that defines a table as a data source.

QUESTION 32

Which database features are typically NOT required by analytical applications that run on SAP HANA Cloud? Note: There are 2 correct answers to this question.

- * Pre-calculated aggregates
- * Indexes
- * Stored procedures
- * Table partitions

QUESTION 33

What is generated when you deploy a CUBE calculation view design-time file? Note: There are 2 correct answers to this question.

- * Cached results to improve read performance
- * Metadata to enable consumption by external tools
- * An SQL execution plan
- * A column view in a container

QUESTION 34

What is a restricted measure?

- * A measure that can be consumed by a CUBE and not a DIMENSION.
- * A measure that is filtered by one or more attribute values.
- * A measure that can only be displayed by those with necessary privileges.
- * A measure that cannot be referenced by a calculated column.

QUESTION 35

Why might you use the Keep Flag property in an aggregation node?

- * To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- * To exclude columns that are NOT requested by a query to avoid incorrect results
- * To include columns that are NOT requested by a query but are essential for the correct result
- * To retain the correct aggregation behavior in stacked views

QUESTION 36

At which levels of a project structure can you execute a deploy operation?Note: There are 2 correct answers to this question.

- * Individual source file
- * Entire workspace
- * Sub-folder of a database module
- * Individual container

QUESTION 37

What is the default view node for a cube?

- * PROJECTION
- * SEMANTICS
- * AGGREGATION
- * UNION

QUESTION 38

In a calculated column, which object do you use to process a dynamic value in an expression?

- * Variable
- * Input Parameter
- * Procedure
- * Table function

SAP C_HCMOD_05 Exam Syllabus Topics:

TopicDetailsTopic 1- Configuring modeling functions- Deploying modeling content, administration of calculation viewsTopic 2- Defining roles, analytic privileges and data privacy settings- Defining filters, calculated columns, restricted columns, hierarchies, variablesTopic 3- Creating all types of calculation views using nodes- Implementing custom SQL in calculation viewsTopic 4- Optimize performance of models- Manage and administer models- Build calculation viewsTopic 5- Following modeling best practices and using performance monitoring tools- Defining new projects, namespaces, cross-container access, and working with Git

Get Perfect Results with Premium C_HCMOD_05 Dumps Updated 90 Questions:

https://www.exams4sures.com/SAP/C_HCMOD_05-practice-exam-dumps.html