
[2024 Pass SAP C-HCDEV-05 Exam Updated 82 Questions [Q16-Q38



[2024] Pass SAP C-HCDEV-05 Exam Updated 82 Questions Get 2024 Updated Free SAP C-HCDEV-05 Exam Questions and Answer

NEW QUESTION 16

Which components are part of SAP HANA Cloud? Note: There are 3 correct ans-wers to this que-stion.

- * SAP Analytics Cloud
- * Data lake
- * SAP HANA database
- * SAP Adaptive Server Enterprise
- * SAP Enterprise Architecture Designer

NEW QUESTION 17

Which database features are typically NOT required by analytical applications that run on SAP HANA Cloud?Note: There are 2 correct ans-wers to this que-stion.

* Pre-calculated aggregates

- * Indexes
- * Stored procedures
- * Table partitions

NEW QUESTION 18

What can you do when using the golden path for the SAP Cloud Application Programming Model? Note:

There are 2 correct ans-wers to this que-stion.

- * Reuse existing services.
- * Define your data model.
- * Handle database connections.
- * Perform health checks.

NEW QUESTION 19

Which aspect of model reuse can you use to add both Created by/Created at and Changed by/Changed as information for records?

- * managed
- * temporal
- * localized
- * cuid

NEW QUESTION 20

Which request headers values are passed when the scheduler invokes the endpoint? Note: There are 2 correct ans-wers to this que-stion.

- * req.headers.connection
- * x-sap-job-id
- * req.headers.authorization
- * x-sap-job-schedule-id

NEW QUESTION 21

What properties can you set in the procedure header when developing a procedure? Note: There are 3 correct ans-wers to this que-stion.

- * Begin/end statements
- * Language (SQLScript/R)
- * Read/write access
- * Expression
- * Security (invoker/definer)

NEW QUESTION 22

What does the SAP Cloud Application Programming Model provide to enhance cloud-native technologies? Note: There are 3 correct ans-wers to this que-stion.

- * Data access layers
- * Destination service
- * (Generic) service providers
- * Service SDKs
- * Cloud Foundry service

NEW QUESTION 23

Why might you use the .on option to hook event handlers to a service? Note: There are 2 correct ans-wers to this que-stion.

- * To override generic handler execution
- * To complement the framework code execution
- * To add checks to the generic handler execution
- * To deal with an external service

NEW QUESTION 24

On which Core Data Services (CDS) element can you define a security restriction in the SAP Cloud Application Programming Model?Note: There are 3 correct ans-wers to this que-stion.

- * Services
- * Associations
- * Actions
- * Functions
- * Types

NEW QUESTION 25

Which design time files can you create in an SAP HANA database module? Note: There are 3 correct ans-wers to this que-stion.

- * .hdbcalculationview
- * .yaml
- * .hdbprocedure
- * .hdinamespace
- * .cds

NEW QUESTION 26

What is the purpose of an mtad.yaml file?

- * Add system-specific details to an MTA application.
- * Deploy an MTA application.
- * Archive an MTA application.
- * Develop and build an MTA application.

NEW QUESTION 27

Which major logical areas are involved when working with files locally in Git? Note: There are 3 correct ans-wers to this que-stion.

- Local Git repository
- * Working directory
- * Central Git repository
- * Staging area
- * Team repository

NEW OUESTION 28

You want to implement an event handler to show a console log once a supplier record is read. What is the correct syntax to implement this?

* const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier}} = this.entities()

this.after('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`)})})

- * const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ output.log(`Read Supplier: \${row.ID}`)})})
- * const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities()this.on('each',Supplier, row =>{ output.log(`Read Supplier: \${row.ID}`)})})
- * const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.on('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`) })}

NEW QUESTION 29

Which sequence of steps do you follow when working with files locally in Git in SAP Business Application Studio?

- * (a)Check out (b)Create, modify, save(c)Stage(d)Commit(e)Stage
- * (a)Create, modify, save(b)Check out(c)Commit(d)Stage
- * (a)Create, modify, save(b)Commit (c)Check out
- * (a)Create, modify, save(b)Stage(c)Check out (e)Commit

NEW QUESTION 30

Which of the following deployment option of persistence models offer quick development and test cycles?

- * Global
- * Local
- * Virtual
- * Persistence

NEW QUESTION 31

What is contained within the Application part of the index.html?

- * Service references
- * Primary UI anchor
- * Initial construction
- * Configurations of files to be loaded

NEW QUESTION 32

What extension is created for the runtime object when using files under the data folder during the Build activity?

- * .hdbdatatable
- * .cdstabledata
- * .hdbtabledata
- * .hdbtable

NEW QUESTION 33

What can you use to define data models in the SAP Cloud Application Programming Model?

- * CDS
- * Java
- * CDS Notations
- * Node.js

NEW QUESTION 34

Which Core Data Services (CDS) object type can you use to read and write data for an application?

- * Entity
- * Composition
- * Namespace
- * Types

NEW QUESTION 35

Why should you register an error handler in your service implementation for the exception of the CAP SDK for Node.js?

- * To force the execution of the CRUD operation
- * To provide a meaningful error message
- * To ensure that the end user receives a message
- * To avoid a break in the app execution

NEW QUESTION 36

Which actions are executed in Cloud Foundry under the Deploy & Execute phase when you run an application? Note: There are 3 correct ans-wers to this que-stion.

- * Copy the application image to the BLOB store.
- * Release the application and provide the metadata information.
- * Execute service wiring to dependent services.
- * Download required libraries/dependencies.
- * Start a new container with the application image.

NEW QUESTION 37

Why do you use request objects in the event handlers? Note: There are 3 correct ans-wers to this que-stion.

- * To give information on the HTTP method
- * To call external services
- * To register another set of handlers
- * To send an arbitrary event
- * To provide error messages to the client

NEW QUESTION 38

You are using Git in SAP Business Application Studio for version control. You have initialized Git and would like to include the files in your new local repository. What command do you use?

- * git add
- * git commit
- * git push
- * git init

Verified C-HCDEV-05 exam dumps Q&As with Correct 82 Questions and Answers: https://www.exams4sures.com/SAP/C-HCDEV-05-practice-exam-dumps.html]